Asthma Action Plan



General Information:					
Name Emergency contact Physician/healthcare provider Physician signature			Phone numbers		
			Phone numbers		
			_Date		
Severity Classification	Triggers		Exercise		
O Intermittent O Moderate Persistent	O Colds O Smoke O Weather Exercise O Dust O Air Pollution Animals O Food O Other		Premedication (how much and when)		
Mild Persistent Severe Persistent			2. Exercise modifications		
	had better the think on a whole it when the think the total the selection of the selection of the selection of	MININ STATE OF THE SECTION OF THE SE	al delle del mediter	and the state of t	
Green Zone: Doing Well	Peak Flow Meter Personal Best =				
Symptoms	Control Medications:				
■ Breathing is good	Medicine How Much to			When to Take It	
No cough or wheeze					
■ Can work and play■ Sleeps well at night					
Peak Flow Meter					
More than 80% of personal best or					
Yellow Zone: Getting Worse	Contact physician if using quick relief more than 2 times per week.				
Symptoms	Continue control medicines and add:				
Some problems breathing	Medicine How Much to Tal		o Take When to Take It		
Cough, wheeze, or chest tight					
■ Problems working or playing					
■ Wake at night		(4	IE your over	ntome (and neak flow if used)	
Peak Flow Meter Between 50% and 80% of personal best or to	IF your symptoms (and peak flow, if used) return to Green Zone after one hour of the quick-relief treatment, THEN		IF your symptoms (and peak flow, if used) DO NOT return to Green Zone after one hour of the quick-relief treatment, THEN		
	 Take quick-relief medication every 4 hours for 1 to 2 days. Change your long-term control medicine by 		 Take quick-relief treatment again. Change your long-term control medicine by 		
					O Contact your physician for follow-up care.
		The Market of the Control of the Con	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW		
	Red Zone: Medical Alert	Ambulance/Emergency Phone Number:			
Symptoms	Continue control medicines and add:				
Lots of problems breathing	Medicine How Much to Ta		Take	When to Take It	
Cannot work or play					
Getting worse instead of better					
Medicine is not helping			: O-II	hulanes immediately if the	
Peak Flow Meter	Go to the hospital or call for an ambulant ○ Still in the red zone after 15 minutes. ○ You have not been able to reach your		ce if: Call an ambulance immediately if the following danger signs are present:		
Less than 50% of personal best orto			Trouble walking/talking due to shortness		
		physician/healthcare provider for help.		of breath.	
	physician/hoanhoare provider for help.		 Lins or fingernalls are blue. 		